

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.

Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection - Wheeling-Pittsburgh Steel WVD 00 079 7720 DATE:

~~RCRA~~ Beech Bottom

FROM: Douglas A. Donof, Environmental Scientist
Waste Enforcement Section (3AW22)

NOV 9 1983

TO: File

THRU: Peter Schaul
Chief, Waste Enforcement Section (3AW22)

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE
FACILITY REFERENCED ABOVE, I HAVE DETERMINED THAT NO FURTHER
ACTION IS REQUIRED AT THIS TIME.

MANIFEST AUDIT.

RCRA CHECKLIST FOR INSPECTION OF GENERATORS

RO USE

Name of Facility: Wheeling-Pittsburgh Steel
Corrugating Division

Inspection file

Address: Route 2 Beech Bottom

No. _____

Reviewer _____

EPA Generator ID Number: WVD 00 079 7720

Date Reviewed: _____

Facility Inspection Representative: Mr. Sample

Form "A"

Title: Environmental Control

Telephone Number: 304-234-2936

Pert. Regs.
40 C.F.R.

1. Please provide a brief narrative explaining the type of work activity that occurs at the generator.

Manifest
Audit
Only

after cleaning and painting steel strips there is a
chromium residue that leaves a sludge.

Generates a Wastewater Treatment Sludge from
above. Only waste generated now. Recycle solvents

2. Does the generator dispose of its wastes....
estimate of future still residue approx 20 drums in 3 months

A. On-site

(Circle one)

☒ B. Off-Site

Note: If on-site, then checklist for both a generator and TSD facility must be completed if on-site more than 90 days.

Completed by Douglas A. Down D.D.
USEP-III 6th and Walnut St.
Phila. PA. 19106
215-597-8541

3. Are 1000 kg (2200 Lbs) or more of hazardous waste produced by the generator facility in a month?(If the amount is less than 1,000 kg/month, then the facility qualifies as a small generator and Form C should be completed instead of Form A.)

☒ Yes ☐ No

4. What categories of hazardous wastes result from the generator's facility?

A. Ignitable wastes

☒ Yes ☐ No

B. Reactive wastes

Yes ☐ No

C. Corrosive wastes

Yes ☐ No

D. EP Toxic wastes

Yes ☐ No

E. RCRA Listed Wastes

Yes ☐ No

Types 0007 _____

5. Is the generator presently...

A. Treating hazardous waste?

Yes ☒ No

B. Storing hazardous wastes longer than 90 days?

Yes ☒ No

C. Disposing hazardous waste?

Yes ☒ No

Note: If the generator performs any of the activities noted in Question 5, then the inspector must complete Form B, entitled "RCRA Checklist for inspection of hazardous waste treatment, storage and disposal facilities."

262.20

6. In a manifest system currently in operation at the generator's facility so that offsite shipment of hazardous wastes can be tracked?

☒ Yes ☐ No

7. Please inspect the generator's manifest for the following information

- 262.20 A. Is the TSD facility which receives a generator's hazardous waste identified by name, address, and EPA ID number? ☒ Yes ☐ No
- 262.20 B. Is an alternative facility designated in case of an emergency? (Optional) Yes ☒ No
- C. Is a serialized manifest document number included on the form? ☒ Yes ☐ No
- 262.21 D. Is the generator's name, address, telephone number and EPA ID number included on the form? ☒ Yes ☐ No
- E. Is the name and identification number of each transporter included on the form? ☒ Yes ☐ No
- F. Is a description of the generator's hazardous waste to be treated, stored, or disposed included on the manifest? ☒ Yes ☐ No
- G. Is the quantify of each waste by units of weight or volume and the type and number of containers loaded in the transport vehicle included on the manifest form? Yes ☒ No
*Containers only
not weight or volume*
- H. Is the following certification noted on the generator's manifest form and is the certification acknowledged by the generator's signature. ☒ Yes ☐ No
- "This is to certify that the above-named materials are properly classified, described, packaged, marked, labeled and are in proper condition for transportation according to the available regulations of the DOT and EPA."
- 262.22 I. Are there adequate copies of the manifest available for generator, transporter, and TSD's? ☒ Yes ☐ No

*However actual Generator Site
should have copy of Manifest from TSD.*

- 262.34(a)(1) 8. Is all hazardous waste being shipped off-site by the generator within 90 days to a designated facility or placed in an on-site facility either of which has interim status or a Federal hazardous waste treatment, storage or disposal permit? Yes No
-
- 262.34(a)(3) A. Is the date accumulation of waste began clearly marked on each container? Yes No
- 262.34(a)(2) B. Are storage containers or tanks in good condition, i.e., no corrosion, leaking or structural deformations? Yes No
- C. Starting at the time of initial accumulation are the storage containers
- 262.34(a)(4) 1) Labeled Yes No
- 262.34(a)(4) 2) Marked Yes No
- 262.34(a)(2) 3) Packaged Yes No
- as containing a particular hazardous waste in accordance with DOT regulations?

Questions 9-15 apply to generators who accumulate wastes in a non-permitted facility.

- 265.16(a) 9. Have facility personnel successfully completed a program of classroom training or on-the-job training in hazardous waste management procedures? Yes No
- 265.16(d) 10. Does the generator facility maintain a record of job titles for personnel that are involved with hazardous waste management and the name of the employee filling each job? Yes No
- 265.16(d)(2) 11. Does the generator facility have on record a written position description for each job title noted in Question #10? Yes No
- 265.16(d)(3) 12. Does the facility presently maintain a written description of the type and amount of introductory and continuing training for those employees noted in Question #10? Yes No